

| Model | Nominal Voltage(V) | Typical Capacity | Dimension(mm) | | | Weight(g) |
|------------|--------------------|------------------|---------------|--------|--------|-----------|
| | | | Thickness | Width | Height | |
| JZ401221LP | 3.7 | 50 | 4.0±0.2 | 12±0.5 | 21±1.0 | 0.9 |
| JZ601417LP | 3.7 | 70 | 6.0±0.2 | 14±0.5 | 17±1.0 | 1.3 |
| JZ401120LP | 3.7 | 60 | 4.0±0.2 | 11±0.5 | 20±1.0 | 1.3 |
| JZ451124LP | 3.7 | 65 | 4.5±0.2 | 11±0.5 | 24±1.0 | 1.5 |
| JZ451420LP | 3.7 | 75 | 4.5±0.2 | 14±0.5 | 20±1.0 | 1.5 |
| JZ551124LP | 3.7 | 85 | 5.5±0.2 | 11±0.5 | 24±1.0 | 2.0 |
| JZ351220LP | 3.7 | 90 | 3.5±0.2 | 12±0.5 | 30±1.0 | 2.0 |
| JZ651515LP | 3.7 | 90 | 6.5±0.2 | 15±0.5 | 15±1.0 | 2.0 |
| JZ601717LP | 3.7 | 100 | 6.0±0.2 | 17±0.5 | 17±1.0 | 2.0 |
| JZ242030LP | 3.7 | 100 | 2.4±0.2 | 20±0.5 | 30±1.0 | 2.0 |
| JZ302025LP | 3.7 | 110 | 3.0±0.2 | 20±0.5 | 25±1.0 | 2.0 |
| JZ401230LP | 3.7 | 120 | 4.0±0.2 | 12±0.5 | 30±1.0 | 2.2 |
| JZ041532LP | 3.7 | 120 | 4.0±0.2 | 15±0.5 | 32±1.0 | 2.2 |
| JZ302323LP | 3.7 | 130 | 3.0±0.2 | 23±0.5 | 23±1.0 | 2.5 |
| JZ401230LP | 3.7 | 130 | 4.0±0.2 | 12±0.5 | 30±1.0 | 2.5 |
| JZ501235LP | 3.7 | 150 | 5.0±0.2 | 12±0.5 | 35±1.0 | 3.2 |
| JZ081223LP | 3.7 | 170 | 8.0±0.2 | 12±0.5 | 23±1.0 | 3.5 |
| JZ551235LP | 3.7 | 170 | 5.5±0.2 | 12±0.5 | 35±1.0 | 3.5 |
| JZ402030LP | 3.7 | 180 | 4.0±0.2 | 20±0.5 | 30±1.0 | 3.6 |
| JZ382030LP | 3.7 | 190 | 3.8±0.2 | 20±0.5 | 30±1.0 | 3.8 |
| JZ402030LP | 3.7 | 190 | 4.0±0.2 | 20±0.5 | 30±1.0 | 4.0 |
| JZ581730LP | 3.7 | 200 | 5.8±0.2 | 17±0.5 | 30±1.0 | 4.5 |
| JZ602024LP | 3.7 | 210 | 6.0±0.2 | 20±0.5 | 24±1.0 | 4.5 |
| JZ402035LP | 3.7 | 220 | 4.0±0.2 | 20±0.5 | 35±1.0 | 4.5 |
| JZ502030LP | 3.7 | 250 | 5.0±0.2 | 20±0.5 | 30±1.0 | 5.0 |
| JZ472231LP | 3.7 | 250 | 4.7±0.2 | 22±0.5 | 31±1.0 | 5.0 |
| JZ081525LP | 3.7 | 250 | 8.0±0.2 | 15±0.5 | 25±1.0 | 5.0 |
| JZ601730LP | 3.7 | 260 | 6.0±0.2 | 17±0.5 | 30±1.0 | 5.5 |
| JZ552030LP | 3.7 | 270 | 5.5±0.2 | 20±0.5 | 30±1.0 | 5.5 |
| JZ452235LP | 3.7 | 280 | 4.5±0.2 | 22±0.5 | 35±1.0 | 6.0 |
| JZ562030LP | 3.7 | 300 | 5.6±0.2 | 20±0.5 | 30±1.0 | 5.8 |
| JZ652030LP | 3.7 | 330 | 6.5±0.2 | 20±0.5 | 30±1.0 | 6.6 |
| JZ502040LP | 3.7 | 340 | 5.0±0.2 | 20±0.5 | 40±1.0 | 7.0 |
| JZ552827LP | 3.7 | 350 | 5.5±0.2 | 28±0.5 | 27±1.0 | 7.2 |
| JZ452050LP | 3.7 | 400 | 4.5±0.2 | 20±0.5 | 50±1.0 | 8.0 |
| JZ602040LP | 3.7 | 450 | 6.0±0.2 | 20±0.5 | 40±1.0 | 9.0 |
| JZ403040LP | 3.7 | 460 | 4.0±0.2 | 30±0.5 | 40±1.0 | 9.5 |
| JZ483037LP | 3.7 | 480 | 4.8±0.2 | 30±0.5 | 37±1.0 | 9.5 |
| JZ353350LP | 3.7 | 500 | 3.5±0.2 | 33±0.5 | 50±1.0 | 10.0 |

| | | | | | | |
|-------------|-----|------|----------|----------|---------|------|
| JZ383450LP | 3.7 | 560 | 3.8±0.2 | 34±0.5 | 50±1.0 | 10.5 |
| JZ601765LP | 3.7 | 550 | 6.0±0.2 | 17±0.5 | 65±1.0 | 12.0 |
| JZ602248LP | 3.7 | 600 | 6.0±0.2 | 22±0.5 | 48±1.0 | 12.5 |
| JZ453048LP | 3.7 | 600 | 4.5±0.2 | 30±0.5 | 48±1.0 | 12.0 |
| JZ543438LP | 3.7 | 650 | 5.4±0.2 | 34±0.5 | 38±1.0 | 13.0 |
| JZ603040LP | 3.7 | 650 | 6.0±0.2 | 30±0.5 | 40±1.0 | 13.0 |
| JZ483048LP | 3.7 | 670 | 4.8±0.2 | 30±0.5 | 48±1.0 | 13.5 |
| JZ553043LP | 3.7 | 700 | 5.5±0.2 | 30±0.5 | 43±1.0 | 14.0 |
| JZ503048LP | 3.7 | 700 | 5.0±0.2 | 30±0.5 | 48±1.0 | 14.0 |
| JZ483450LP | 3.7 | 800 | 4.8±0.2 | 34±0.5 | 50±1.0 | 16.0 |
| JZ604043LP | 3.7 | 800 | 6.0±0.2 | 40±0.5 | 43±1.0 | 16.0 |
| JZ803037LP | 3.7 | 800 | 8.0±0.2 | 30±0.5 | 37±1.0 | 16.0 |
| JZ503450LP | 3.7 | 800 | 5.0±0.2 | 34±0.5 | 50±1.0 | 16.0 |
| JZ622459LP | 3.7 | 850 | 6.2±0.2 | 24±0.5 | 59±1.0 | 17.0 |
| JZ603048LP | 3.7 | 850 | 6.0±0.2 | 30±0.5 | 48±1.0 | 17.0 |
| JZ503448LP | 3.7 | 850 | 5.0±0.2 | 34±0.5 | 48±1.0 | 17.5 |
| JZ533450LP | 3.7 | 900 | 5.3±0.2 | 34±0.5 | 50±1.0 | 18.0 |
| JZ623048LP | 3.7 | 920 | 6.2±0.2 | 30±0.5 | 48±1.0 | 18.5 |
| JZ843036LP | 3.7 | 1000 | 8.4±0.2 | 30±0.5 | 36±1.0 | 20.0 |
| JZ306463LP | 3.7 | 1000 | 3.0±0.2 | 64±0.5 | 63±1.0 | 20.0 |
| JZ603448LP | 3.7 | 1000 | 6.0±0.2 | 34±0.5 | 48±1.0 | 20.0 |
| JZ703048LP | 3.7 | 1050 | 7.0±0.2 | 30±0.5 | 48±1.0 | 21.0 |
| JZ404858LP | 3.7 | 1100 | 4.0±0.2 | 48±0.5 | 58±1.0 | 21.0 |
| JZ553450LP | 3.7 | 1150 | 5.5±0.2 | 34±0.5 | 50±1.0 | 21.5 |
| JZ703448LP | 3.7 | 1150 | 7.0±0.2 | 34±0.5 | 48±1.0 | 21.5 |
| JZ603450LP | 3.7 | 1100 | 6.0±0.2 | 34±0.5 | 50±1.0 | 22.0 |
| JZ504850LP | 3.7 | 1250 | 5.0±0.2 | 48±0.5 | 50±1.0 | 22.0 |
| JZ503759LP7 | 3.7 | 1300 | 5.0±0.2 | 37±0.5 | 59±1.0 | 23.0 |
| JZ803448LP | 3.7 | 1350 | 8.0±0.2 | 34±0.5 | 48±1.0 | 23.0 |
| JZ803450LP | 3.7 | 1400 | 8.0±0.2 | 34±0.5 | 50±1.0 | 24.0 |
| JZ6527100LP | 3.7 | 1400 | 6.5±0.2 | 27±0.5 | 100±1.0 | 24.0 |
| JZ953448LP | 3.7 | 1500 | 9.5±0.2 | 34±0.5 | 48±1.0 | 28.0 |
| JZ385088LP | 3.7 | 1600 | 3.8±0.2 | 50±0.5 | 88±1.0 | 28.0 |
| JZ063048LP | 3.7 | 1600 | 6.0±0.2 | 34.0±0.5 | 80.0±1 | 28.0 |
| JZ903450LP | 3.7 | 1650 | 9.0±0.2 | 34±0.5 | 50±1.0 | 29.0 |
| JZ653759LP | 3.7 | 1650 | 6.5±0.2 | 37±0.5 | 59±1.0 | 33.0 |
| JZ804050LP | 3.7 | 1700 | 8.0±0.2 | 40±0.5 | 50±1.0 | 32.0 |
| JZ365590LP | 3.7 | 1700 | 3.6±0.2 | 55±0.5 | 90±1.0 | 32.0 |
| JZ404688LP | 3.7 | 1700 | 4.0±0.2 | 46±0.5 | 88±1.0 | 32.0 |
| JZ103448LP | 3.7 | 1800 | 10.0±0.2 | 34±0.5 | 48±1.0 | 36.0 |
| JZ953450LP | 3.7 | 1800 | 9.5±0.2 | 34±0.5 | 50±1.0 | 36.0 |

| | | | | | | |
|-------------|-----|------|----------|--------|---------|------|
| JZ505065LP | 3.7 | 1800 | 5.0±0.2 | 50±0.5 | 65±1.0 | 36.0 |
| JZ604364LP | 3.7 | 1800 | 6.0±0.2 | 43±0.5 | 64±1.0 | 36.0 |
| JZ103450LP | 3.7 | 1850 | 10.0±0.2 | 34±0.5 | 50±1.0 | 37.0 |
| JZ604765LP | 3.7 | 1900 | 6.0±0.2 | 47±0.5 | 65±1.0 | 38.0 |
| JZ664660LP | 3.7 | 1980 | 6.6±0.2 | 46±0.5 | 60±1.0 | 40.0 |
| JZ853666LP | 3.7 | 2000 | 8.5±0.2 | 36±0.5 | 66±1.0 | 40.0 |
| JZ103454LP | 3.7 | 2000 | 10±0.2 | 34±0.5 | 54±1.0 | 40.0 |
| JZ903759LP | 3.7 | 2200 | 9.0±0.2 | 37±0.5 | 59±1.0 | 44.0 |
| JZ455085LP | 3.7 | 2200 | 4.5±0.2 | 50±0.5 | 85±1.0 | 44.0 |
| JZ505085LP | 3.7 | 2200 | 5.0±0.2 | 50±0.5 | 85±1.0 | 46.0 |
| JZ805060LP | 3.7 | 2200 | 8.0±0.2 | 50±0.5 | 60±1.0 | 46.0 |
| JZ925050LP | 3.7 | 2200 | 9.2±0.2 | 50±0.5 | 50±1.0 | 46.0 |
| JZ505682LP | 3.7 | 2300 | 5.0±0.2 | 56±0.5 | 82±1.0 | 47.0 |
| JZ873585LP | 3.7 | 2400 | 8.7±0.2 | 35±0.5 | 85±1.0 | 48.0 |
| JZ535085LP | 3.7 | 2400 | 5.3±0.2 | 50±0.5 | 85±1.0 | 48.0 |
| JZ606168LP | 3.7 | 2500 | 6.0±0.2 | 61±0.5 | 68±1.0 | 50.0 |
| JZ804080LP | 3.7 | 2560 | 8.0±0.2 | 40±0.5 | 80±1.0 | 52.0 |
| JZ805065LP | 3.7 | 2700 | 8.0±0.2 | 50±0.5 | 65±1.0 | 54.0 |
| JZ5842100LP | 3.7 | 2700 | 5.8±0.2 | 42±0.5 | 100±1.0 | 54.0 |
| JZ605575LP | 3.7 | 2700 | 6.0±0.2 | 55±0.5 | 75±1.0 | 54.0 |
| JZ744673LP | 3.7 | 2750 | 7.4±0.2 | 46±0.5 | 73±1.0 | 55.0 |
| JZ506877LP | 3.7 | 2800 | 5.0±0.2 | 68±0.5 | 77±1.0 | 56.0 |
| JZ844765LP | 3.7 | 2900 | 8.4±0.2 | 47±0.5 | 65±1.0 | 58.0 |
| JZ854374LP | 3.7 | 3000 | 8.5±0.2 | 43±0.5 | 74±1.0 | 60.0 |
| JZ6535140LP | 3.7 | 3000 | 6.5±0.2 | 35±0.5 | 140±1.0 | 60.0 |
| JZ705085LP | 3.7 | 3100 | 7.0±0.2 | 50±0.5 | 85±1.0 | 62.0 |
| JZ568668LP | 3.7 | 3400 | 5.6±0.2 | 86±0.5 | 68±1.0 | 66.0 |
| JZ5058110LP | 3.7 | 3500 | 5.0±0.2 | 58±0.5 | 110±1.0 | 70.0 |
| JZ7237115LP | 3.7 | 3600 | 7.2±0.2 | 37±0.5 | 115±1.0 | 72.0 |
| JZ5564102LP | 3.7 | 3750 | 5.5±0.2 | 64±0.5 | 102±1.0 | 74.0 |
| JZ8025198LP | 3.7 | 3800 | 8.0±0.2 | 25±0.5 | 198±1.0 | 74.0 |
| JZ507295LP | 3.7 | 3900 | 5.0±0.2 | 72±0.5 | 95±1.0 | 75.0 |
| JZ6567100LP | 3.7 | 4000 | 6.5±0.2 | 67±0.5 | 100±1.0 | 77.0 |
| JZ7045122LP | 3.7 | 4000 | 7.0±0.2 | 45±0.5 | 122±1.0 | 77.0 |
| JZ7044125LP | 3.7 | 4200 | 7.0±0.2 | 44±0.5 | 125±1.0 | 84.0 |
| JZ4869120LP | 3.7 | 4400 | 4.8±0.2 | 69±0.5 | 120±1.0 | 87.0 |
| JZ5840198LP | 3.7 | 4400 | 5.8±0.2 | 40±0.5 | 198±1.0 | 87.0 |
| JZ7545135LP | 3.7 | 4500 | 7.5±0.2 | 45±0.5 | 135±1.0 | 90.0 |
| JZ7045178LP | 3.7 | 4600 | 7.0±0.2 | 45±0.5 | 178±1.0 | 93.0 |
| JZ8545135LP | 3.7 | 4800 | 8.5±0.2 | 45±0.5 | 135±1.0 | 96.0 |
| JZ3859130LP | 3.7 | 5000 | 3.8±0.2 | 59±0.5 | 130±1.0 | 98.0 |

| | | | | | | |
|--------------|-----|------|---------|---------|---------|-------|
| JZ5366121LP | 3.7 | 5000 | 5.3±0.2 | 66±0.5 | 121±1.0 | 100.0 |
| JZ7468108LP | 3.7 | 5200 | 7.4±0.2 | 68±0.5 | 108±1.0 | 103.0 |
| JZ8545135LP | 3.7 | 5300 | 8.5±0.2 | 45±0.5 | 135±1.0 | 106.0 |
| JZ45103122LP | 3.7 | 5500 | 4.5±0.2 | 103±0.5 | 122±1.0 | 110.0 |
| JZ55100100LP | 3.7 | 5600 | 5.5±0.2 | 100±0.5 | 100±1.0 | 112.0 |
| JZ7548166LP | 3.7 | 6300 | 7.5±0.2 | 48±0.5 | 166±1.0 | 125.0 |
| JZ9551119LP | 3.7 | 6800 | 9.5±0.2 | 51±0.5 | 119±1.0 | 132.0 |
| JZ8048166LP | 3.7 | 7000 | 8.0±0.2 | 48±0.5 | 166±1.0 | 140.0 |
| JZ6753196LP | 3.7 | 7500 | 6.7±0.2 | 53±0.5 | 196±1.0 | 150.0 |
| JZ7569153LP | 3.7 | 8000 | 7.5±0.2 | 69±0.5 | 153±1.0 | 162.0 |
| JZ8848166LP | 3.7 | 8000 | 8.8±0.2 | 48±0.5 | 166±1.0 | 161.0 |
| JZ70103122LP | 3.7 | 8700 | 7.0±0.2 | 103±0.5 | 122±1.0 | 170.0 |